


SHOULD YOU SEND THEM TO SCHOOL?


It's often difficult for parents to know whether their children are too sick to attend classes. Here are some general guidelines.



Key

1. Keep at home
2. Send to school
3. See a doctor

Course of Action




Symptoms

Fever measured orally is above 100° (fever free 24 hours before returning)	
Vomits more than once	
Infrequent diarrhea	
Ear infection; no pain	
Minor cold: runny nose, cough, sneezing, sore throat	
Infestation of scabies, lice (After treatment begins)	
Cold sores (Sore covered)	
Strep throat (After 24 hours of medication)	
Undiagnosed skin rash	
Eye infection	
Flu: body aches, fever, headache (fever free 24 hours before returning)	
Vague "I don't feel good" symptoms	

¿DEBERÍA MANDAR A SU HIJO/HIJA A LA ESCUELA?


Suele ser difícil para los padres saber si deberían mandar a sus hijos a la escuela cuando están enfermos. He aquí algunas guías generales.



Clave

1. Mantenerlo en casa
2. Mandarlo a la escuela
3. Consultar al médico

Qué Hacer



Symptoms

Si la temperatura oral es mayor de 100°

Si vomita más de una vez



Si tiene diarrea infrecuente



Infección de oído; sin dolor



Un catarro leve: tiene flujo nasal, tiene tos, estornuda, dolor de garganta



Infestación de sarna, piojos (Después de comenzado el tratamiento)



Fuegos (Cubierto el fuego)



Infección de garganta (Después de 24 horas de tomar medicamento)



Erupción de la piel no diagnosticada



Infección de ojos



Gripe: dolores en el cuerpo, fiebre, dolor de cabeza



Síntomas vagos "No me siento bien"

